



SAFETY DATA SHEET

TE352 FG

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

| | | | |
|---------------------|---|--------------|--|
| PRODUCT NAME | TE352 FG | | |
| SUPPLIER | ACC SILICONES LIMITED Amber House, Showground Rd Bridgwater, Somerset TA6 6AJ TEL: +44 (0)1278 411400 FAX: +44 (0)1278 411444 sdsadmin@acc-silicones.com | MANUFACTURER | TAYLOR CHEMICAL COMPANY INC. LLC 1025 Progress Circle, Lawrenceville GA 30043 USA TEL: +1 (770) 339 4460 TOLL FREE: +1 (800) 822 4460 FAX: +1 (770) 339 4464 |
| EMERGENCY TELEPHONE | DEUTSCHLAND +49 613 3162 91880 (24hrs) ITALIA +39 029880913 (24hrs) UK +44 (0)1278 411400 (24hrs) | | |

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

| Name | EC No. | CAS-No. | Content | Classification |
|--|--------|------------|---------|-----------------|
| SECONDARY ALCOHOL ETHOXYLATE 20 MOLES EO | | 84133-50-6 | 1-5% | Xi;R36. R52/53. |

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Not relevant.

INGESTION

DO NOT induce vomiting. Get medical attention immediately.

SKIN CONTACT

Promptly flush contaminated skin with soap or mild detergent and water. Promptly remove clothing if penetrated and flush the skin with water. Get medical attention if irritation persists after washing.

EYE CONTACT

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists continue rinsing and transport to hospital taking these instructions.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use fire-extinguishing media appropriate for surrounding materials. Water spray, foam, dry powder or carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapours. Use pressurised air mask if product is involved in a fire.

UNUSUAL FIRE & EXPLOSION HAZARDS

No unusual fire or explosion hazards noted.

SPECIFIC HAZARDS

Fire creates: Toxic gases/vapours/fumes of Carbon monoxide (CO). Carbon dioxide (CO2).

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Avoid discharge into drains, water courses or onto the ground.

TE352 FG

SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers. For waste disposal, see section 13.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Keep in original container. Store above freezing. Keep containers tightly closed.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT



ENGINEERING MEASURES

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined workplace exposure limit is not exceeded.

RESPIRATORY EQUIPMENT

Not relevant.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves.

EYE PROTECTION

Wear approved safety goggles.

HYGIENE MEASURES

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

9 PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|------------------|----------------------|------------------|----------------------|
| APPEARANCE | Liquid | | |
| COLOUR | White / off-white | | |
| ODOUR | Characteristic | | |
| SOLUBILITY | Miscible with water. | | |
| RELATIVE DENSITY | 1.00 @ 23°C | FLASH POINT (°C) | >100 CC (Closed Cup) |

10 STABILITY AND REACTIVITY

STABILITY

No particular stability concerns.

MATERIALS TO AVOID

Strong oxidising substances.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2). Oxides of: Silicon.

11 TOXICOLOGICAL INFORMATION

INHALATION

No specific health warnings noted.

INGESTION

No specific health warnings noted.

SKIN CONTACT

Skin irritation is not anticipated when used normally.

EYE CONTACT

May cause temporary eye irritation.

TE352 FG

HEALTH WARNINGS

This product has low toxicity. Only large volumes may have adverse impact on human health.

| | |
|----------------------|--|
| Name | SECONDARY ALCOHOL ETHOXYLATE 20 MOLES EO |
| Toxic Dose 1 - LD 50 | 5660 mg/kg (oral rat) |

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be hazardous to the environment.

BIOACCUMULATION

The product does not contain any substances expected to be bioaccumulating.

DEGRADABILITY

The product is expected to be slowly biodegradable.

| | |
|------------------------------|--|
| Name | SECONDARY ALCOHOL ETHOXYLATE 20 MOLES EO |
| LC 50, 96 Hrs, FISH mg/l | 68.2 |
| EC 50, 48 Hrs, DAPHNIA, mg/l | 73.4 |

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

ADR CLASS

Not classified for transportation. MARINE POLLUTANT No.

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

P13 Safety data sheet available for professional user on request.

EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EEC.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689. Control of Substances Hazardous to Health Regulations 2002 (as amended) The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007)

16 OTHER INFORMATION

REVISION COMMENTS

NOTE: Lines within the margin indicate significant changes from the previous revision.

REVISION DATE 11/09/2008

REV. NO./REPL. SDS GENERATED 3

RISK PHRASES IN FULL

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. ,
R36 Irritating to eyes.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.